Floquet vortex states induced by light carrying an orbital angular momentum

Hwanmun Kim⁽⁰⁾,^{1,2} Hossein Dehghani,^{1,3} Iman Ahmadabadi,^{1,2} Ivar Martin,⁴ and Mohammad Hafezi^{1,2,3}

¹Joint Quantum Institute, NIST and University of Maryland, College Park, Maryland 20742, USA

²Department of Physics, University of Maryland, College Park, Maryland 20742, USA

³Departments of Electrical and Computer Engineering and Institute for Research in Electronics and Applied Physics,

⁴Materials Science Division, Argonne National Laboratory, Argonne, Illinois 60439, USA

(Received 30 June 2021; revised 7 October 2021; accepted 6 January 2022; published 14 February 2022)

We propose a scheme to create an electronic Floquet vortex state by irradiating a two-dimensional semiconductor with a laser light carrying nonzero orbital angular momentum. We analytically and numerically study the properties of the Floquet vortex states, with methods analogous to the ones previously applied to the analysis of superconducting vortex states. We show that such Floquet vortex states are similar to superconducting vortex states, and they exhibit a wide range of tunability. To illustrate the potential utility of such tunability, we show how such states could be used for quantum state engineering.

DOI: 10.1103/PhysRevB.105.L081301

Introduction. Quantum vortices and the localized quantum states associated with them have long been a subject of active interest in diverse areas of physics [1-6]. To create and observe such quantum vortex states, numerous efforts have been made in diverse systems such as Bose-Einstein condensates [7-12], superconductors [13,14], and magnetic materials [15-17]. While the quantum vortex states themselves exhibit many exotic quantum and classical many-body phenomena [18-23], their stability as topological defects makes them a promising quantum platform for applications such as quantum information processing [24-26].

Recently, Floquet systems have become popular as a useful way to engineer exotic quantum states [27–37]. Moreover, there have been many recent advancements in the spatial control of optical beams in atomic systems [38–41]. These techniques have the potential to be applied to electronic systems and can provide a wide range of tunability in quantum state engineering.

In this Letter, we present a scheme to create Flouget quantum vortex states by shining a light field carrying orbital angular momentum (OAM) on a two-dimensional (2D) semiconductor, as illustrated in Fig. 1. In small detuning and the weak-field limit, we show that electronic Floquet vortex states are localized around the optical vortices with a localization length bounded by the shape and intensity of the optical field. We also show that the number of vortex state branches is directly given by the vorticity of the light, which quantifies the OAM carried by each photon. Such a close relation with OAM of light distinguishes these vortex states from the edge states of the uniform Floquet Chern insulator [28] or the vortex states introduced in Refs. [30,31]. While many characteristics of these Floquet vortex states carry a close analogy with superconducting systems, we show that the Floquet vortex states in the current system benefit from a very broad range of tunability. For example, the freedom to choose the size of the optical vortex can be used as a knob to control the non-linearity of the vortex state spectrum. To demonstrate how such tunability can be exploited for quantum state engineering, we construct a scheme of quantum information processing based on optically manipulating Floquet vortex states, with simple single-qubit and two-qubit operations.

Model. We consider $H_0 = (vk_x, vk_y, M) \cdot \sigma$ as our model for a spinless 2D semiconductor [42,43]. For brevity, we have set $\hbar = 1$. Here, $\sigma = (\sigma_x, \sigma_y, \sigma_z)$ are Pauli matrices. M is a half of the band gap and v is a parameter determining the curvature of the band dispersion $\pm \sqrt{M^2 + v^2(k_x^2 + k_y^2)}$, where the positive (negative) energy states correspond to the conduction (valence) band. We vertically shine a linearly polarized laser field with a nonzero orbital angular momentum (OAM), $\mathcal{A}(\mathbf{r},t) = A(\mathbf{r})e^{i\omega t}\mathbf{\hat{x}} + \text{c.c.}$ on a semiconductor, as illustrated in Fig. 1 where ω is the frequency of the laser field. The OAM of the laser field is represented in the azimuthal phase factor of $A(\mathbf{r}) = A_0(r)e^{im\phi}$, where $r = \sqrt{x^2 + y^2}$ and $\phi = \arctan(y/x)$. The integer *m* here is the vorticity of the field, and we refer to the vortex structure with nonzero vorticity in the light field as an optical vortex. Due to this vortex structure, $A_0(r)$ should vanish at r = 0. We set the size of the optical vortex to ξ , which means that $A_0(r)$ smoothly saturates to A_{max} at $r \ge \xi$. With minimal coupling $\mathbf{k} = (k_x, k_y) \rightarrow \mathbf{k} + e\mathcal{A}(\mathbf{r}, t)$, we obtain the time-periodic Hamiltonian

$$H(t) = H_0 + ev\mathcal{A}(\mathbf{r}, t) \cdot \sigma.$$
(1)

When $\omega > 2M$, the frequency detuning $\delta = \omega - 2M$ becomes positive and the conduction and valence bands become resonant at the resonance ring of momentum, $|\mathbf{k}| = k_0 = v^{-1}\sqrt{\omega^2/4 - M^2}$. From Eq. (1), the applied laser field generates a position-dependent Rabi frequency $\Omega(r) = evA_0(r)$ and hybridizes the conduction and valence bands while opening an energy gap about $2\Omega_0$ around the resonance ring, where

University of Maryland, College Park, Maryland 20742, USA



FIG. 1. (a) A 2D semiconductor illuminated by a laser light carrying OAM. The applied light field has an optical vortex structure of size ξ . The figure illustrates the case of vorticity m = 1. (b) The laser field has frequency ω , and couples the conduction and the valence bands of the semiconductor with a gap 2*M*. The detuning is $\delta = \omega - 2M$. In the rotating frame, the hybridization gap of about $2\Omega_0$ develops around the resonance ring whose radius and thickness are k_0 and k_{δ} , respectively. (c) For a light field with nonzero vorticity m, |m| branches of Floquet vortex states develop in the middle of the hybridization gap. Around zero energy, each branch has a linear dispersion with energy spectrum is illustrated with respect to the electronic pseudo-OAM, *l*.

 $\Omega_0 = \lim_{r\to\infty} \Omega(r)$. To describe these hybridized bands, we consider the transformation into a rotating frame, $U(t) = P_c e^{-i\omega t/2} + P_v e^{i\omega t/2}$, where $P_c(P_v)$ is the projection operator into the conduction (valence) band. In the weak-field limit $\Omega_0 \ll \sqrt{\omega\delta}$, we can drop the fast oscillating terms from the rotated Hamiltonian $-iU^{\dagger}(t)\partial_t U(t) + U^{\dagger}(t)H(t)U(t)$ and obtain the effective Hamiltonian under the rotating wave approximation (RWA). Furthermore, we consider the small detuning regime $\delta \ll \omega$. In this regime, we can write $\delta \simeq v^2 k_0^2/M$ and $vk_0 \ll M$. Then, for the small momenta $|\mathbf{k}| = O(k_0)$ (see Supplemental Material [44]),

$$H_{\text{RWA}} = \frac{\delta}{2} \left(\frac{\mathbf{k}^2}{k_0^2} - 1 \right) \sigma_z + \left[\Omega(r) e^{-im\phi} \sigma_+ + \text{H.c.} \right], \qquad (2)$$

where $\sigma_{\pm} = (\sigma_x \pm i\sigma_y)/2$.

Floquet vortex states. Because of the breaking of translational symmetry by the optically induced vortex, it is possible to have electronic states with energies inside the spectral gap that are localized in the vicinity of the vortex. From Eq. (2), we can estimate the spatial extent of such states. First, one can readily observe that the diagonal components are dominant over off-diagonal elements for most of the k's except in the vicinity of the resonance ring. This means that the hybridization mostly occurs at the momenta in the narrow region near the resonance ring, and the thickness of this region can be estimated by finding the range of $|\mathbf{k}|$ that makes the off-diagonal elements of Eq. (2) comparable to or larger than the diagonal elements. We find that the hybridization of the two bands occurs at $|\mathbf{k}| - k_0 = O(k_{\delta})$, where $k_{\delta} \equiv k_0 \Omega_0 / \delta$, that characterizes the momentum range over which the Rabi frequency and dispersion of Eq. (2) are comparable around the resonant momentum ring. If any intragap state develops within this hybridization gap, such a state should be a superposition of the Bloch states within this momentum region. Therefore k_{δ}^{-1} serves as a lower bound for the spatial size of such an intragap state. If a localized intragap state develops around the optical vortex, this state cannot extend to the region where $A_0(r)$ saturates to A_{max} since the field is nearly uniform and therefore the system remains gapped. Therefore such a localized intragap state has an upper bound $O(k_s^{-1} + \xi)$ for its size.

By using the semiclassical argument introduced in Ref. [45], one can show that |m| branches of intragap states develop around the optical vortex with vorticity m (see Supplemental Material [44]). We call these states Floquet vortex states, and we can obtain a fully quantum-mechanical description of the dispersion and wave function of these states by applying mathematical methods used for superconducting vortices [4,46–48]. To do so, we note that while the effective Hamiltonian in Eq. (2) does not commute with the electronic DAM, $\hat{L} = -i\partial_{\phi}$, it does commute with the electronic pseudo-OAM, $\hat{l} = -i\partial_{\phi} + (m/2)\sigma_z$. Then the eigenstates of this effective Hamiltonian can be written in the form of vortex states,

$$\psi_{n,l}(\mathbf{r}) = \left(e^{i(l-m/2)\phi}u_{n,l,+}(r), e^{i(l+m/2)\phi}u_{n,l,-}(r)\right)^T.$$
 (3)

Here, the branch index n = 1, ..., m represents different branches of Floquet vortex states. One can also show that this system satisfies the particle-hole symmetry which requires $\psi_{n,-l}(\mathbf{r}) = i\sigma_y \psi_{|m|+1-n,l}^*(\mathbf{r})$ and $E_{n,-l} = -E_{|m|+1-n,l}$, where $E_{n,l}$ is the corresponding eigenenergy for $\psi_{n,l}(\mathbf{r})$. In the large optical vortex regime $k_{\delta}^{-1} \ll \xi$, the low-energy spectra of these Floquet vortex states are given by [48]

$$E_{n,l} = m l \omega_0 + [n - (|m| + 1)/2] \tilde{\omega}_0, \tag{4}$$

where

$$\omega_0 = rac{\delta \int_0^\infty rac{\Omega(r)}{r} e^{-(2k_0/\delta) \int_0^r \Omega(r')dr'} dr}{k_0 \int_0^\infty e^{-(2k_0/\delta) \int_0^r \Omega(r')dr'} dr}$$
 $ilde \omega_0 = rac{\delta(\pi/2)}{k_0 \int_0^\infty e^{-(2k_0/\delta) \int_0^r \Omega(r')dr'} dr}.$

Here, the energy separations between nearby states and branches, ω_0 and $\tilde{\omega}_0$, respectively, are solely determined by the bulk properties and the details of the radial beam profile $A_0(r)$. These parameters are independent of the system size and therefore the energy separation between states remains in the thermodynamic limit. This analytic expression of the dispersion is valid for the low-energy and the low-*l* regime, $|E_{n,l}| \ll \Omega_0$ and $|l| \ll \sqrt{\delta/\Omega_0}$. Figure 2(a) presents how this analytically found dispersion agrees with the numerical dispersion obtained by diagonalizing Eq. (2) (see Supplemental Material [44]). As shown in the figure, the number of intragap state branches is given by |m|. The analytic dispersion and the numerical dispersion agree for the low-energy and low-l regime, and deviate from each other as the energy or lmoves away from zero. Nevertheless, we can still use Eq. (4) to get a rough estimate of the pseudo-OAM differences between different intragap state branches, in the large optical vortex regime (see Supplemental Material [44]). Assuming the entire intragap state branches are linearly dispersing, the different branches at the same energy would have a pseudo-OAM momentum difference of $\tilde{\omega}_0/\omega_0 = O(k_0 k_{\delta}^{-1} \sqrt{k_{\delta}\xi})$. This



FIG. 2. (a) Numerically calculated energy spectra in terms of pseudo-OAM *l*. We use $\omega = 2.05M$, $A_{\text{max}} = 0.09M(ev)^{-1}$, and $A_0(r) = A_{\text{max}}[1 - \exp\{-r^2/(2\xi^2)\}]$, $\xi = 20k_{\delta}$, and suppose a disk sample of radius 25ξ . Note that we only exhibit spectra near the zero energy while the bulk gap is about $2\Omega_0$. The numerical spectra agree with the analytically expected dispersion in Eq. (4) including the number of intragap state branches and the slope of the linear dispersion for small $|E_l|$ and *l*. Electronic density profiles of selected states are presented in the insets. (b) Dispersions for m = 1 with identical parameters with (a) except the optical vortex size ξ and the disk size $500k_{\delta}$. As ξ reduces, the linear region of the spectrum shrinks while the energy separation between the nearby states increases.

large difference in the angular momentum prevents the vortex modes from different branches to hybridize each other. With the same assumption, the number of states in a single branch can be also estimated as $2\Omega_0/\omega_0 = O(k_0\xi)$.

Note that these Floquet vortex states around the optical vortex are distinguished from the edge states of topological Floquet Chern insulators [28] or the vortex states introduced in Refs. [30,31]. For an edge state of the Floquet Chern insulator to develop, the bulk part of the system should have a nonzero Chern number, while the Floquet vortex states we are discussing appear regardless of the Chern number of the system. This point becomes clear by investigating the system under irradiation of a circularly polarized light beam which also carries a nonzero OAM (see Supplemental Material [44]). While the bulk part of such a system becomes a Floquet Chern insulator as explained in Ref. [28], there are still |m| branches of Floquet vortex states in the middle of the hybridization gap. The Floquet vortex states in our system also differ from the vortex states in Refs. [30,31] where the vortex structure does not couple with the electronic kinetic terms and has no trivial way to be realized in experiments.

While many properties of the Floquet vortex states can be analyzed with similar techniques used for superconducting vortex states, our Floquet vortex states have a wider tunability due to the freedom to control the size of the optical vortices. For superconducting vortex states, the size of the vortices is tied to $O(k_{\delta}^{-1})$ since the Bogoliubov–de Gennes (BdG) equation should be satisfied in a self-consistent way. However, Eq. (2) does not have such constraints and we have the freedom to choose the size of the optical vortex. To illustrate the consequence of this freedom, we display the numerical dispersion for different optical vortex sizes in Fig. 2(b). As shown in



FIG. 3. (a) The nonlinearity of the dispersion allows one to encode different Floquet vortex states as qubits. For example, the vortex states with pseudo-OAM l_0 and $l_0 + 1$ from the vortex state branch with index *n* (red arrow) or the branches with indices *n* and *n* + 1 can be used to encode a qubit (blue arrow). Arbitrary single-qubit rotation can be performed by shining an extra linearly polarized light. While the polarization $\hat{\mathbf{n}}_0$ determines the rotation axis, the beam amplitude \mathcal{E}_{ext} and the irradiation time determine the rotation angle. (b) Two-qubit gates can be performed by bringing two vortices close to each other and then separating them back.

the figure, as the optical vortex size ξ gets smaller, the linear region of the spectrum shrinks and therefore the non-linearity of the spectrum is enhanced. This adjustable non-linear dispersion of Floquet vortex states invites the possibility of using them as a platform for quantum state engineering.

Quantum information processing with floquet vortex states. Since we can set shapes and locations of the optical vortices arbitrarily as well as change them dynamically, the Floquet vortex states can be used to engineer and manipulate different quantum states with their wide range of tunability. To illustrate the potential utility of the Floquet vortex states as a platform for quantum state engineering, we show how oneand two-qubit operations can be performed in this system. As we have seen in the previous section, we can increase the energy level spacing and the spectral nonlinearity by reducing the size of the optical vortex. It is this enhanced nonlinearity that allows us to create qubits out of the Floquet vortex states and manipulate them (Fig. 3).

Specifically, we consider two Floquet vortex states with pseudo-angular momentum l_0 and $l_0 + 1$ of an intragap branch with index *n*. That is, $\langle \mathbf{r} | 0 \rangle \equiv \psi_{n,l_0}(\mathbf{r})$ and $\langle \mathbf{r} | 1 \rangle \equiv \psi_{n,l_0+1}(\mathbf{r})$. (While here we choose the vortex states from the same intragap branch, alternatively vortex states from different branches can be also used.) To manipulate this qubit, we may apply an extra linearly polarized field to create an oscillating potential,

$$V_{\text{ext}}(t) = e\mathcal{E}_{\text{ext}}\mathbf{\hat{n}}_{0} \cdot \mathbf{r}\cos(\Omega_{\text{ext}}t), \qquad (5)$$

where \mathcal{E}_{ext} is the amplitude of the applied electric field and $\hat{\mathbf{n}}_{\mathbf{0}} = \cos \phi_0 \hat{\mathbf{x}} + \sin \phi_0 \hat{\mathbf{y}}$ is the polarization of the field. Then, in the rotating frame with frequency Ω_{ext} , the effective Hamiltonian for this qubit space becomes

$$\begin{split} H_{1-\text{qubit}} \\ &= \left(E_{l_0} + \frac{\Omega_{\text{ext}}}{2} \right) |0\rangle \langle 0| + \left(E_{l_0+1} - \frac{\Omega_{\text{ext}}}{2} \right) |1\rangle \langle 1| \\ &+ \left[e\mathcal{E}_{\text{ext}} \langle 1|r\cos(\phi - \phi_0)|0\rangle |1\rangle \langle 0| + \text{H.c.} \right], \\ \langle 1|r\cos(\phi - \phi_0)|0\rangle \end{split}$$

$$= \int d^{2}\mathbf{r}\psi_{n,l_{0}+1}^{\dagger}(\mathbf{r})r\cos(\phi-\phi_{0})\psi_{n,l_{0}}(\mathbf{r})$$
$$= \pi e^{i\phi_{0}}\sum_{s=\pm}\int_{0}^{\infty}u_{n,l_{0}+1,s}^{*}(r)u_{n,l_{0},s}(r)r^{2}dr.$$
(6)

By setting $\Omega_{\text{ext}} = E_{n,l_0+1} - E_{n,l_0}$, we can effectively tune $H_{1-\text{qubit}}$ to be a superposition of σ_x and σ_y with an arbitrary ratio between them. Then this extra field implements an arbitrary single-qubit rotation where the rotation angle is tuned by the field amplitude \mathcal{E}_{ext} and the irradiation time, while the rotational axis is set by the polarization $\hat{\mathbf{n}}_0$. Note that this qubit is isolated from other vortex states because the field with frequency matched to the energy difference $E_{n,l_0+1} - E_{n,l_0}$ cannot couple to other modes due to the nonlinear dispersion of the vortex states (see Supplemental Material [44]).

For two-qubit operations, we can move two vortices close to one another. This will lead to a hybridization J between the modes with the same quantum numbers on the two vortices. Yet, single-electron hopping from one vortex to another may be energetically unfavorable due to the on-site interaction energy U. This will generate an effective superexchange interaction $\sim J^2/U$, with the corresponding two-qubit Hamiltonian,

$$H_{2-\text{qubit}} = -\frac{J^2}{U} [|01\rangle \langle 01| + |10\rangle \langle 10| + (|10\rangle \langle 01| + \text{H.c.})],$$
(7)

where $|s_1s_2\rangle = |s_1\rangle \otimes |s_2\rangle$ ($s_{1,2} = 0, 1$) is the computational basis for the two-qubit space. Since we have full control over the location of the vortices, we can tune our time-evolution operator to act as a $\sqrt{\text{SWAP}}$ gate up to some single-qubit σ_z operations (see Supplemental Material [44]). This $\sqrt{\text{SWAP}}$ gate and previously introduced single-qubit rotations constitute a gate set for universal quantum computation [49,50]. We stress again that this proximity-based scheme of a two-qubit gate is only possible because the current system allows enhanced freedom to change the locations of Floquet vortex states. This is a big advantage that Floquet vortex state qubits have over other qubits based on solid-state systems such as quantum dots [51–53].

While the state preparation in Floquet systems is a challenging problem in general, one may be able to prepare the desired Floquet state by using proper bosonic and fermionic reservoirs through dissipative engineering [34,54,55]. Once the initialization method is established, the desired qubit state can be prepared by controlling the back-gate voltage, similar to the initialization procedure in quantum-dot qubit systems.

Discussion and outlook. The most important challenges in using periodic driving in condensed matter systems are the heating effects. However, recently there have been several theoretical proposals to restrain such destructive effects by using bath engineering techniques [34,54–61]. In particular

for Floquet topological insulators (FTIs) [28] created by irradiating light to semiconductors as in our proposal, it has been demonstrated that in the weak-drive limit and in the presence of a phononic heat bath, heating effects produced by electron-electron and electron-phonon interactions can be suppressed provided that the bath-induced relaxation rates are sufficiently large [55]. For such baths the key features of FTIs such as the existence of protected edge states can be preserved in the steady state which can make our proposal also stable in the steady state [62]. Also, recent experiments [36,37] on an irradiated 2D material also provide more evidence that quantum states engineered by periodic driving on condensed matter systems can be stabilized in the laboratory.

While vortex states can also be engineered in cold atoms [8–12], there are several advantages to engineer them in electronic systems. One main advantage is the possibility of creating and manipulating multiple vortex states more conveniently, as demonstrated in the aforementioned qubit manipulation. While this is in principle possible in BEC systems too [63], controlling the transition of numerous atoms can be more challenging than manipulating a single electron. Also, our Floquet vortex state is spin independent, unlike the cold atom systems with spin-orbit-angular-momentum coupling [11,12,64–67], and this spin degrees of freedom can provide extra knobs for state engineering such as the Zeeman field.

To further elaborate the scheme for the quantum information processing, it would be interesting to study the possible measurement protocols for the OAM of Floquet vortex states. One potential candidate for such a protocol is through the measurement of optical Hall conductivity, which might have different responses to states with different OAM. Also, since our system has multiple nonlinearly dispersed Floquet vortex states, the extension to the qudit system is a natural topic for future study. While we briefly examined the possibility of such a vortex state as a qubit, there are many unanswered questions such as the heating, decoherence, and sensing in this platform. While we treated the vortex state of a single electron, it would be interesting to study how the presence of Coulomb interactions can change the vortex state structure or even help to create exotic many-body states. Another interesting direction is to investigate lattices of optical vortices and other field patterns such as electromagnetic skyrmions [68]. It would be also interesting to investigate how our approach can help to control the optical properties of materials such as van der Waals layered magnetic insulators [69].

Acknowledgments. We are thankful for stimulating discussions with H. Aoki. I.M. was supported by the Materials Sciences and Engineering Division, Basic Energy Sciences, Office of Science, U.S. Department of Energy. The work at Maryland was supported by ARL W911NF1920181, AFOSR MURI FA9550-19-1-0399, AFOSR MURI FA95502010223, ARO W911NF2010232, KITP NSF PHY-1748958, and the Simons Foundation.

[2] R. Feynman, Prog. Low Temp. Phys. 1, 17 (1955).

- [4] C. Caroli, P. De Gennes, and J. Matricon, Phys. Lett. 9, 307 (1964).
- [5] R. Jackiw and P. Rossi, Nucl. Phys. B 190, 681 (1981).

^[1] L. Onsager, Nuovo Cim 6, 279 (1949).

^[3] A. A. Abrikosov, Sov. Phys. JETP 5, 1174 (1957).

- [6] G. E. Volovik, *The Universe in a Helium Droplet* (Oxford University Press on Demand, 2003), Vol. 117.
- [7] R. J. Donnelly, *Quantized Vortices in Helium II* (Cambridge University Press, 1991), Vol. 2.
- [8] M. R. Matthews, B. P. Anderson, P. C. Haljan, D. S. Hall, C. E. Wieman, and E. A. Cornell, Phys. Rev. Lett. 83, 2498 (1999).
- [9] K. W. Madison, F. Chevy, W. Wohlleben, and J. Dalibard, Phys. Rev. Lett. 84, 806 (2000).
- [10] J. R. Abo-Shaeer, C. Raman, J. M. Vogels, and W. Ketterle, Science 292, 476 (2001).
- [11] H.-R. Chen, K.-Y. Lin, P.-K. Chen, N.-C. Chiu, J.-B. Wang, C.-A. Chen, P. Huang, S.-K. Yip, Y. Kawaguchi, and Y.-J. Lin, Phys. Rev. Lett. **121**, 113204 (2018).
- [12] D. Zhang, T. Gao, P. Zou, L. Kong, R. Li, X. Shen, X.-L. Chen, S.-G. Peng, M. Zhan, H. Pu, and K. Jiang, Phys. Rev. Lett. 122, 110402 (2019).
- [13] G. Blatter, M. V. Feigel'man, V. B. Geshkenbein, A. I. Larkin, and V. M. Vinokur, Rev. Mod. Phys. 66, 1125 (1994).
- [14] T. Maniv, V. Zhuravlev, I. Vagner, and P. Wyder, Rev. Mod. Phys. 73, 867 (2001).
- [15] A. Bogdanov and A. Hubert, J. Magn. Magn. Mater. 138, 255 (1994).
- [16] U. K. Roessler, A. Bogdanov, and C. Pfleiderer, Nature (London) 442, 797 (2006).
- [17] N. Nagaosa and Y. Tokura, Nat. Nanotechnol. 8, 899 (2013).
- [18] J. M. Kosterlitz and D. J. Thouless, J. Phys. C: Solid State Phys. 6, 1181 (1973).
- [19] J. M. Kosterlitz, J. Phys. C: Solid State Phys. 7, 1046 (1974).
- [20] P. A. Murthy, I. Boettcher, L. Bayha, M. Holzmann, D. Kedar, M. Neidig, M. G. Ries, A. N. Wenz, G. Zürn, and S. Jochim, Phys. Rev. Lett. **115**, 010401 (2015).
- [21] D. S. Fisher, M. P. A. Fisher, and D. A. Huse, Phys. Rev. B 43, 130 (1991).
- [22] P. L. Gammel, L. F. Schneemeyer, J. V. Waszczak, and D. J. Bishop, Phys. Rev. Lett. 61, 1666 (1988).
- [23] R. H. Koch, V. Foglietti, W. J. Gallagher, G. Koren, A. Gupta, and M. P. A. Fisher, Phys. Rev. Lett. 63, 1511 (1989).
- [24] C. Nayak, S. H. Simon, A. Stern, M. Freedman, and S. Das Sarma, Rev. Mod. Phys. 80, 1083 (2008).
- [25] M. Stone and S.-B. Chung, Phys. Rev. B 73, 014505 (2006).
- [26] K. T. Kapale and J. P. Dowling, Phys. Rev. Lett. 95, 173601 (2005).
- [27] T. Oka and H. Aoki, Phys. Rev. B 79, 081406(R) (2009).
- [28] N. H. Lindner, G. Refael, and V. Galitski, Nat. Phys. 7, 490 (2011).
- [29] M. C. Rechtsman, J. M. Zeuner, Y. Plotnik, Y. Lumer, D. Podolsky, F. Dreisow, S. Nolte, M. Segev, and A. Szameit, Nature (London) 496, 196 (2013).
- [30] Y. T. Katan and D. Podolsky, Phys. Rev. Lett. 110, 016802 (2013).
- [31] Y. Tenenbaum Katan and D. Podolsky, Phys. Rev. B 88, 224106 (2013).
- [32] N. Goldman and J. Dalibard, Phys. Rev. X 4, 031027 (2014).
- [33] P. Titum, E. Berg, M. S. Rudner, G. Refael, and N. H. Lindner, Phys. Rev. X 6, 021013 (2016).
- [34] H. Dehghani, T. Oka, and A. Mitra, Phys. Rev. B 90, 195429 (2014).
- [35] H. Kim, H. Dehghani, H. Aoki, I. Martin, and M. Hafezi, Phys. Rev. Research 2, 043004 (2020).

- [36] J. W. McIver, B. Schulte, F. U. Stein, T. Matsuyama, G. Jotzu, G. Meier, and A. Cavalleri, Nat. Phys. 16, 38 (2020).
- [37] S. A. Sato, J. W. McIver, M. Nuske, P. Tang, G. Jotzu, B. Schulte, H. Hübener, U. De Giovannini, L. Mathey, M. A. Sentef, A. Cavalleri, and A. Rubio, Phys. Rev. B 99, 214302 (2019).
- [38] P. Zupancic, P. M. Preiss, R. Ma, A. Lukin, M. E. Tai, M. Rispoli, R. Islam, and M. Greiner, Opt. Express 24, 13881 (2016).
- [39] D. Barredo, S. de Léséleuc, V. Lienhard, T. Lahaye, and A. Browaeys, Science 354, 1021 (2016).
- [40] D. Barredo, V. Lienhard, S. De Leseleuc, T. Lahaye, and A. Browaeys, Nature (London) 561, 79 (2018).
- [41] N. Schine, M. Chalupnik, T. Can, A. Gromov, and J. Simon, Nature (London) 565, 173 (2019).
- [42] B. A. Bernevig, T. L. Hughes, and S.-C. Zhang, Science 314, 1757 (2006).
- [43] E. G. Novik, A. Pfeuffer-Jeschke, T. Jungwirth, V. Latussek, C. R. Becker, G. Landwehr, H. Buhmann, and L. W. Molenkamp, Phys. Rev. B 72, 035321 (2005).
- [44] See Supplemental Material at http://link.aps.org/supplemental/ 10.1103/PhysRevB.105.L081301 for the details of the rotating wave approximation (RWA), the number of Floquet vortex state branches, the estimation of energy separation in a large optical vortex regime, the illumination of circularly polarized light, the numerical diagonalization for the low-energy spectrum, the nonlinearity of vortex state dispersion, and the two-qubit.
- [45] G. Volovik, JETP Lett. 57, 244 (1993).
- [46] Y. Tada, W. Nie, and M. Oshikawa, Phys. Rev. Lett. 114, 195301 (2015).
- [47] T. Ojanen, Phys. Rev. B 93, 174505 (2016).
- [48] A. Prem, S. Moroz, V. Gurarie, and L. Radzihovsky, Phys. Rev. Lett. 119, 067003 (2017).
- [49] D. P. DiVincenzo, D. Bacon, J. Kempe, G. Burkard, and K. B. Whaley, Nature (London) 408, 339 (2000).
- [50] H. Fan, V. Roychowdhury, and T. Szkopek, Phys. Rev. A 72, 052323 (2005).
- [51] D. Loss and D. P. DiVincenzo, Phys. Rev. A 57, 120 (1998).
- [52] B. E. Kane, Nature (London) 393, 133 (1998).
- [53] R. Vrijen, E. Yablonovitch, K. Wang, H. W. Jiang, A. Balandin, V. Roychowdhury, T. Mor, and D. DiVincenzo, Phys. Rev. A 62, 012306 (2000).
- [54] I. Esin, M. S. Rudner, G. Refael, and N. H. Lindner, Phys. Rev. B 97, 245401 (2018).
- [55] K. I. Seetharam, C.-E. Bardyn, N. H. Lindner, M. S. Rudner, and G. Refael, Phys. Rev. B 99, 014307 (2019).
- [56] H. Dehghani, T. Oka, and A. Mitra, Phys. Rev. B 91, 155422 (2015).
- [57] T. Iadecola and C. Chamon, Phys. Rev. B 91, 184301 (2015).
- [58] T. Shirai, T. Mori, and S. Miyashita, Phys. Rev. E 91, 030101(R) (2015).
- [59] H. Dehghani and A. Mitra, Phys. Rev. B 92, 165111 (2015).
- [60] H. Dehghani and A. Mitra, Phys. Rev. B 93, 245416 (2016).
- [61] T. Kuwahara, T. Mori, and K. Saito, Ann. Phys. 367, 96 (2016).
- [62] Since the additional number of vortex states in our system compared to FTIs, is finite we expect the results obtained in [55] should be applicable to our system, too.
- [63] M. F. Andersen, C. Ryu, P. Cladé, V. Natarajan, A. Vaziri, K. Helmerson, and W. D. Phillips, Phys. Rev. Lett. 97, 170406 (2006).

- [64] M. DeMarco and H. Pu, Phys. Rev. A 91, 033630 (2015).
- [65] K. Sun, C. Qu, and C. Zhang, Phys. Rev. A 91, 063627 (2015).
- [66] K.-J. Chen, F. Wu, S.-G. Peng, W. Yi, and L. He, Phys. Rev. Lett. 125, 260407 (2020).
- [67] L.-L. Wang, A.-C. Ji, Q. Sun, and J. Li, Phys. Rev. Lett. 126, 193401 (2021).
- [68] S. Tsesses, E. Ostrovsky, K. Cohen, B. Gjonaj, N. Lindner, and G. Bartal, Science 361, 993 (2018).
- [69] D. Hsieh (private communication, 2021).

Supplemental Material: Floquet vortex states induced by light carrying the orbital angular momentum

Hwanmun Kim,^{1, 2} Hossein Dehghani,^{1, 3} Iman Ahmadabadi,^{1, 2} Ivar Martin,⁴ and Mohammad Hafezi^{1, 2, 3}

¹ Joint Quantum Institute, NIST and University of Maryland, College Park, Maryland 20742, USA

²Department of Physics, University of Maryland, College Park, Maryland 20742, USA

³Departments of Electrical and Computer Engineering and Institute for Research in Electronics and Applied Physics,

University of Maryland, College Park, Maryland 20742, USA

⁴Materials Science Division, Argonne National Laboratory, Argonne, Illinois 60439, USA

Appendix A: Rotating wave approximation (RWA)

As stated in the main text, we consider following model Hamiltonian $H_0 = (vk_x, \pm vk_y, M) \cdot \sigma = \mathbf{D}_{\mathbf{k}} \cdot \sigma$ for our semiconductor. We now consider the electromagnetic radiation $\mathcal{A}(\mathbf{r}, t)$. Then the minimal coupling $\mathbf{k} \to \mathbf{k} + e\mathcal{A}(\mathbf{r}, t)$ leads to the following time-dependent Hamiltonian,

$$H(t) = H_0 + ev\mathcal{A}(\mathbf{r}, t) \cdot \sigma$$

= $H_0 + V(t) = H_0 + [\mathbf{V}e^{i\omega t} + \text{c.c.}] \cdot \sigma.$ (A1)

Then the projection operators to conduction and valence bands are

$$P_{c} = \int d^{2}\mathbf{k} P_{c,\mathbf{k}} = \int d^{2}\mathbf{k}(1+\mathbf{d}_{\mathbf{k}})/2,$$

$$P_{v} = \int d^{2}\mathbf{k} P_{v,\mathbf{k}} = \int d^{2}\mathbf{k}(1-\mathbf{d}_{\mathbf{k}})/2,$$
 (A2)

where $\mathbf{d_k} = \mathbf{D_k}/|\mathbf{D_k}|$. Considering the rotating frame $U(t) = P_c e^{-i\omega t} + P_v e^{i\omega t}$, the rotated Hamiltonian is

$$H_{\rm rot} = -iU^{\dagger}(t)\partial_t U(t) + U^{\dagger}(t)H(t)U(t)$$

= $\frac{\omega}{2}(P_v - P_c) + \mathbf{D_k} \cdot \sigma + P_c V(t)P_c + P_v V(t)P_v$
+ $e^{i\omega t}P_c V(t)P_v + e^{-i\omega t}P_v V(t)P_c.$ (A3)

In the weak field regime $evA_{\rm max} = \Omega_0 \ll \omega$, we can obtain RWA Hamiltonian by dropping fast oscillating terms from $H_{\rm rot}$,

 $H_{\text{RWA}} = \left(\mathbf{D}_{\mathbf{k}} - \frac{\omega}{2}\mathbf{d}_{\mathbf{k}}\right) \cdot \sigma + \mathcal{V}_{\mathbf{k}}, \qquad (A4)$

where

$$\begin{aligned} \mathcal{V}_{\mathbf{k}} &= P_{c,\mathbf{k}}(\mathbf{V}^{*} \cdot \sigma) P_{v,\mathbf{k}} + P_{v,\mathbf{k}}(\mathbf{V} \cdot \sigma) P_{c,\mathbf{k}} \\ &= \{ \operatorname{Re} \mathbf{V} \cdot \sigma + i [\operatorname{Im} \mathbf{V} \cdot \sigma, \mathbf{d}_{\mathbf{k}} \cdot \sigma] \\ &- (\mathbf{d}_{\mathbf{k}} \cdot \sigma) (\operatorname{Re} \mathbf{V} \cdot \sigma) (\mathbf{d}_{\mathbf{k}} \cdot \sigma) \} / 2 \\ &= \frac{1}{2} \left[\operatorname{Re} \mathbf{V} + (\mathbf{d}_{\mathbf{k}} \times \operatorname{Im} \mathbf{V} - \operatorname{Im} \mathbf{V} \times \mathbf{d}_{\mathbf{k}}) \\ &- (\mathbf{d}_{\mathbf{k}} \cdot \operatorname{Re} \mathbf{V}) \mathbf{d}_{\mathbf{k}} + (\mathbf{d}_{\mathbf{k}} \times \operatorname{Re} \mathbf{V}) \times \mathbf{d}_{\mathbf{k}} \right] \cdot \sigma \\ &+ \frac{i}{2} \left[\operatorname{Im} \mathbf{V} \cdot \mathbf{d}_{\mathbf{k}} - \mathbf{d}_{\mathbf{k}} \cdot \operatorname{Im} \mathbf{V} - (\mathbf{d}_{\mathbf{k}} \times \operatorname{Re} \mathbf{V}) \cdot \mathbf{d}_{\mathbf{k}} \right] . (A5) \end{aligned}$$

For small detuning regime $\delta = \omega - 2M \ll \omega$, $\delta \simeq v^2 k_0^2/M$ and $vk_0 \ll M$. Then, for small momenta $|\mathbf{k}| = O(k_0)$,

$$\mathbf{d_k} = (d_{x,\mathbf{k}}, d_{y,\mathbf{k}}, d_{z,\mathbf{k}}) = \frac{1}{\sqrt{M^2 + v^2 \mathbf{k}^2}} (vk_x, vk_y, M) \\ = \left(\frac{vk_x}{M}, \frac{vk_y}{M}, 1 - \frac{v^2 \mathbf{k}^2}{2M^2}\right) + O\left(\frac{v^3 k_0^3}{M^3}\right), \quad (A6)$$

$$\left(\mathbf{D}_{\mathbf{k}} - \frac{\omega}{2}\mathbf{d}_{\mathbf{k}}\right) \cdot \sigma = \left(1 - \frac{\omega/2}{\sqrt{M^2 + v^2 \mathbf{k}^2}}\right) (vk_x, vk_y, M) \cdot \sigma$$
$$= \frac{v^2}{2M} (\mathbf{k}^2 - k_0^2)\sigma_z + O\left(\frac{v^3 k_0^3}{M^2}\right). \quad (A7)$$

Now we consider a linearly polarized light carrying OAM, $\mathcal{A}(\mathbf{r},t) = [A_0(r)e^{im\phi}e^{i\omega t} + \text{c.c.}] \mathbf{\hat{x}}$. With this, $V_y = 0$, and from Eq. (A5),

$$\begin{aligned} \mathcal{V}_{\mathbf{k}} &= \frac{1}{2} \left[\left(\mathrm{Re}V_x + d_{z,\mathbf{k}} \mathrm{Re}V_x d_{z,\mathbf{k}} \right) \\ &- d_{x,\mathbf{k}} \mathrm{Re}V_x d_{x,\mathbf{k}} + d_{y,\mathbf{k}} \mathrm{Re}V_x d_{y,\mathbf{k}} \right) \sigma_x \\ &+ \left(d_{z,\mathbf{k}} \mathrm{Im}V_x + \mathrm{Im}V_x d_{z,\mathbf{k}} \right) \\ &- d_{x,\mathbf{k}} \mathrm{Re}V_x d_{y,\mathbf{k}} - d_{y,\mathbf{k}} \mathrm{Re}V_x d_{x,\mathbf{k}} \right) \sigma_y \\ &+ \left(- d_{y,\mathbf{k}} \mathrm{Im}V_x - d_{x,\mathbf{k}} \mathrm{Re}V_x d_{z,\mathbf{k}} \right) \\ &- d_{z,\mathbf{k}} \mathrm{Re}V_x d_{x,\mathbf{k}} \right) \sigma_z \right] \\ &+ \frac{i}{2} \left(\mathrm{Im}V_x d_{x,\mathbf{k}} - d_{x,\mathbf{k}} \mathrm{Im}V_x \\ &- d_{z,\mathbf{k}} \mathrm{Re}V_x d_{y,\mathbf{k}} + d_{y,\mathbf{k}} \mathrm{Re}V_x d_{z,\mathbf{k}} \right) \\ &= \mathrm{Re}V_x \sigma_x + \mathrm{Im}V_x \sigma_y + O\left(evA_{\max}\frac{vk_0}{M} \right). \end{aligned}$$
 (A8)

Therefore, with further assumption of weak field $\Omega_0 \ll \sqrt{\delta M}$, the RWA Hamiltonian becomes

$$H_{\text{RWA}} = \frac{v^2}{2M} \left(\mathbf{k}^2 - k_0^2 \right) \sigma_z + \left[ev A_0(r) e^{-im\phi} \sigma_+ + \text{H.c.} \right] + O \left(ev A_{\max} \frac{v k_0}{M} \right) = \frac{\delta}{2} \left(\frac{\mathbf{k}^2}{k_0^2} - 1 \right) \sigma_z + \left[\Omega(r) e^{-im\phi} \sigma_+ + \text{H.c.} \right] + O \left(\Omega_0 \sqrt{\frac{\delta}{M}} \right),$$
(A9)

so we derived the RWA Hamiltonian in Eq. (2) in the main text.

Due to the OAM of the light, the RWA Hamiltonian $H_{\rm RWA}$ and the static semiconductor Hamiltonian H_0 have different symmetries. While H_0 commutes with electronic OAM $-i\partial_{\phi}$, $H_{\rm RWA}$ commutes with pseudo-OAM $\hat{l} = -i\partial_{\phi} + (m/2)\sigma_z$. To demonstrate this, we use $[-i\partial_{\phi}, k_x] = ik_y$ and $[-i\partial_{\phi}, k_y] = -ik_x$. These yield $[-i\partial_{\phi}, k_x \pm ik_u] = \pm (k_x \pm ik_y)$ and $[-i\partial_{\phi}, \mathbf{k}^2] = 0$, there-

fore

$$[-i\partial_{\phi}, H_{\text{RWA}}] = -m \left(\Omega(r)e^{-im\phi}\sigma_{+} - \text{H.c.}\right),$$

$$[\sigma_{z}, H_{\text{RWA}}] = 2 \left(\Omega(r)e^{-im\phi}\sigma_{+} - \text{H.c.}\right), \quad (A10)$$

so $[-i\partial_{\phi} + (m/2)\sigma_z, H_{\text{RWA}}] = 0$. Since l is a good quantum number, the wave functions for each l have the form of

$$\psi_{n,l}(\mathbf{r}) = \left(e^{i(l-m/2)\phi}u_{n,+}(r), e^{i(l+m/2)\phi}u_{n,-}(r)\right)^T (A11)$$

where n is the branch index. With this, H_{RWA} leads to following eigenvalue problem for each l,

$$E_{n,l}u_{n,l,\pm}(r) = \mp \frac{\delta}{2k_0^2} \left(\partial_r^2 + \frac{1}{r}\partial_r - \frac{(l \mp m/2)^2}{r^2} + k_0^2\right) u_{n,l,\pm}(r) + \Omega(r)u_{n,l,\mp}(r).$$
(A12)

By observing this Hamiltonian, one can see this Hamiltonian preserves the particle-hole symmetry $\psi_{n,-l}(\mathbf{r}) = i\sigma_y \psi^*_{|m|+1-n,l}(\mathbf{r})$ and $E_{n,-l} = -E_{|m|+1-n,l}$. Here the branch index *n* should alter to |m| + 1 - n as *l* changes to -l.

Appendix B: Number of Floquet vortex states branches

Since $H_{\text{RWA}}(\mathbf{k})$ in Eq. (2) in the main text is particlehole symmetric and gapped except the vortex core, the intragap modes develop around the vortex core are expected to cross the zero energy, if any exists. We may use the semiclassical approach introduced in Ref. 44 in the main text to investigate the number of such intragap modes. Let us consider the Hamiltonian in the classical regime, $H_{\text{RWA}} \rightarrow \mathbf{H} \cdot \sigma$, where the momentum and the position commute each other. This semiclassical treatment is justified as long as $k_0 \xi \gg 1$. Here, the vector $\mathbf{H} = \mathbf{H}(k, r, \phi)$ resides on the 3D parameter space (k, r, ϕ) . Now such Hamiltonian yields energy $E^{2}(k,r,\phi) = |\mathbf{H}(k,r,\phi)|^{2} = \delta^{2}(k^{2}/k_{0}^{2}-1)^{2}/4 + \Omega(r)^{2}$ and E = 0 is achieved at $k = k_0$ and r = 0. To consider the surface surrounds this zero point, let us consider the surface $|E| = \Delta E$ for small energy ΔE . Such surface would be located in the vicinity of that zero point, so we can write $k = k_0 + \Delta k$ and $r = \Delta r$. To the leading order, This surface can be written as $\Delta E^2 = (\delta/k_0)^2 \Delta k^2 + \Omega(\Delta r)^2$. Without loss of generality, we can regard $\Omega(\Delta r) = \lambda \Delta r$. Now the surface $|E| = \Delta E$ becomes an ellipsoid and can be parameterized by the polar angle θ and the azimuthal angle ϕ : $\Delta k = (k_0 \Delta E/\delta) \cos \theta$, $\Delta r = (\Delta E/\lambda) \sin \theta$, $\Delta x = \Delta r \cos \phi, \ \Delta y = \Delta r \sin \phi.$ Then the skyrmion number of **H** on this ellipsoid is equal to the number of branches that passes the zero energy in the intragap spectrum. Since the skyrmion number is a topological invariant, we did not lose the generality even if the actual behavior of $\Omega(r)$ for small r is not linear. For the

current parameterization,

$$\begin{aligned} \mathbf{H}|_{|E|=\Delta E,\phi_k} \\ &= \Omega(r) \left[\cos(m\phi) \mathbf{\hat{x}} + \sin(m\phi) \mathbf{\hat{y}} \right] + \frac{\delta}{2} \left(\frac{k^2}{k_0^2} - 1 \right) \mathbf{\hat{z}} \bigg|_{|E|=\Delta E,\phi_k} \\ &= \Delta E \left[\sin\theta \left(\cos(m\phi) \mathbf{\hat{x}} + \cos(m\phi) \mathbf{\hat{y}} \right) + \cos\theta \mathbf{\hat{z}} \right] \\ &= \Delta E \mathbf{\hat{H}}(\theta,\phi), \end{aligned}$$
(B1)

and now the skyrmion number is calculated as

$$N_{\text{mid}} = \frac{1}{4\pi} \int_0^{2\pi} d\phi \int_0^{\pi} d\theta \left(\frac{\partial \hat{\mathbf{H}}}{\partial \theta} \times \frac{\partial \hat{\mathbf{H}}}{\partial \phi} \right) \cdot \hat{\mathbf{H}}$$
$$= \frac{1}{4\pi} \int_0^{2\pi} d\phi \int_0^{\pi} d\theta \ m \sin \theta = m.$$
(B2)

Note that the number of intragap branches $N_{\rm mid}$ is solely determined by the winding number of the applied field, regardless of the winding number along the momentum direction. Yet, the presence of intragap branches crossing the zero energy does not guarantee the existence of the exact zero mode, since the mini gap can develop within each branch in the process of quantization. For further analysis, a fully quantum mechanical approach is required.

Appendix C: Estimation of energy separations in large optical vortex regime

Following the formalism in Ref. 48 in the main text, we find the energy separations between the Floquet vortex states and the intragap state branches, respectively,

$$\omega_{0} = \frac{\int_{0}^{\infty} \frac{\Omega(r)}{r} e^{-(2k_{0}/\delta)} \int_{0}^{r} \Omega(r') dr'}{k_{0} \int_{0}^{\infty} e^{-(2k_{0}/\delta)} \int_{0}^{r} \Omega(r') dr'} dr},$$

$$\tilde{\omega}_{0} = \frac{\delta(\pi/2)}{k_{0} \int_{0}^{\infty} e^{-(2k_{0}/\delta)} \int_{0}^{r} \Omega(r') dr'} dr},$$
 (C1)

for low energy, low pseudo-OAM, and large optical vortex regime, as explained in Eq. (4) in the main text.

In this appendix, we demonstrate how these energy separations depend on radiation parameters such as Ω_0 , δ , ω as well as the radial profile of the applied light beam. For this, we estimate ω_0 and $\tilde{\omega}_0$ for variants of radial beam profile. Specifically, we consider the radial profile

$$\Omega(r) = \begin{cases} \Omega_0(r/\xi)^q & \text{for } r \le \xi\\ \Omega_0 & \text{for } r > \xi \end{cases}, \quad q \ge 1.$$
(C2)

With this, we define $\mathcal{F}(r) \equiv \exp\left[-(2k_0/\delta)\int_0^r \Omega(r')dr'\right]$ and it becomes

$$\mathcal{F}(r) = \begin{cases} \exp\left[-\frac{2k_{\delta}\xi}{q+1}\left(\frac{r}{\xi}\right)^{q+1}\right] & \text{for } r \leq \xi\\ \exp\left[-2k_{\delta}\left(r - \frac{q}{q+1}\xi\right)\right] & \text{for } r > \xi \end{cases}$$
(C3)

With $k_{\delta}\xi \gg 1$, this $\mathcal{F}(r)$ can be roughly estimated by a step function $\theta(x) \equiv [\operatorname{sgn}(x) + 1]/2$,

$$\mathcal{F}(r) \simeq \theta \left(r_{\text{cut}} - r \right), \ r_{\text{cut}} = O\left(\xi \left(\frac{q+1}{2k_{\delta}\xi} \right)^{1/(q+1)} \right).$$
 (C4)

With this,

$$\int_0^\infty \frac{\Omega(r)}{r} \mathcal{F}(r) dr \simeq \int_0^{r_{\rm cut}} \Omega_0 \frac{r^{q-1}}{\xi^q} dr = \frac{\Omega_0 r_{\rm cut}^q}{q\xi^q}$$
$$= O\left(\Omega_0 [k_\delta \xi]^{-q/(q+1)}\right),$$
$$\int_0^\infty \mathcal{F}(r) dr \simeq r_{\rm cut} = O\left(\xi (k_\delta \xi)^{-1/(q+1)}\right), \quad (C5)$$

then

$$\omega_{0} = \frac{\int_{0}^{\infty} r^{-1}\Omega(r)\mathcal{F}(r)dr}{k_{0}\int_{0}^{\infty}\mathcal{F}(r)dr}$$
$$\simeq O\left(\Omega_{0}(k_{0}\xi)^{-1}(k_{\delta}\xi)^{-(q-1)/(q+1)}\right)$$
$$\tilde{\omega}_{0} = \frac{\delta(\pi/2)}{k_{0}\int_{0}^{\infty}\mathcal{F}(r)dr}$$
$$\simeq O\left(\delta(k_{0}\xi)^{-1}(k_{\delta}\xi)^{1/(q+1)}\right).$$
(C6)

As seen in this estimation, energy separations ω_0 and $\tilde{\omega}_0$ depend not only on radiation parameters like Ω_0 , δ , ω , but also on parameters related to the size (ξ) and shape (q) of the radial profile of the beam.

From these results, we can further estimate the number of vortex modes in a branch as

$$2\Omega_0/\omega_0 = O\left(k_0\xi(k_\delta\xi)^{(q-1)/(q+1)}\right).$$
 (C7)

Also, we can estimate the angular momentum difference between branches as

$$\tilde{\omega}_0/\omega_0 = O\left(\frac{k_0}{k_\delta}(k_\delta\xi)^{q/(q+1)}\right).$$
 (C8)

With $q \ge 1$, the lower bound of these estimations are given as $2\Omega_0/\omega_0 = O(k_0\xi)$ and $\tilde{\omega}_0/\omega_0 = O(k_0k_{\delta}^{-1}\sqrt{k_{\delta}\xi})$.

Appendix D: Illumination of circularly polarized light

The hybridization gap for the bulk part of systems with linearly polarized light is in the order of Ω_0 . For the most of systems with different beam polarization, it is still true and therefore results in similar RWA Hamiltonian with Eq. (2) in the main text. However, the situation is different for circularly polarized light. As explained in Ref. 28 in the main text, a semiconductor valley with valley Hamiltonian $H_{0,\pm} = (vk_x, \pm vk_y, M)$ becomes a Floquet Chern insulator when illuminated by circularly polarized light $\mathcal{A}_{\pm}(\mathbf{r},t) = A(\mathbf{r})(\mathbf{\hat{x}} \pm i\mathbf{\hat{y}})e^{i\omega t} + \text{c.c.}$ In such Floquet Chern insulator, the size of hybridization gap is in the order of $\delta\Omega_0/M$, instead of Ω_0 . In this appendix, we derive the RWA Hamiltonian for the light carrying OAM with this circular polarization. Then we calculate the wavefunctions and dispersion of Floquet vortex states given by that Hamiltonian. For simplicity, we only consider the valley Hamiltonian $H_0 = H_{0,+}$ and the field $\mathcal{A}(\mathbf{r},t) = \mathcal{A}_+(\mathbf{r},t)$ from now on.

The RWA Hamiltonian derived in appendix A is valid regardless of $\mathcal{A}(\mathbf{r},t)$ up to Eq. (A7). By using $\mathcal{A}(\mathbf{r},t) = A(\mathbf{r})(\mathbf{\hat{x}}+i\mathbf{\hat{y}})e^{i\omega t} + \text{c.c.}$, we have $V_y = iV_x$. This yields

$$\mathcal{V}_{\mathbf{k}} = \frac{1}{2} \left[\operatorname{Re} \mathbf{V} + (\mathbf{d}_{\mathbf{k}} \times \operatorname{Im} \mathbf{V} - \operatorname{Im} \mathbf{V} \times \mathbf{d}_{\mathbf{k}}) - (\mathbf{d}_{\mathbf{k}} \cdot \operatorname{Re} \mathbf{V}) \mathbf{d}_{\mathbf{k}} + (\mathbf{d}_{\mathbf{k}} \times \operatorname{Re} \mathbf{V}) \times \mathbf{d}_{\mathbf{k}} \right] \cdot \sigma + \frac{i}{2} \left[\operatorname{Im} \mathbf{V} \cdot \mathbf{d}_{\mathbf{k}} - \mathbf{d}_{\mathbf{k}} \cdot \operatorname{Im} \mathbf{V} - (\mathbf{d}_{\mathbf{k}} \times \operatorname{Re} \mathbf{V}) \cdot \mathbf{d}_{\mathbf{k}} \right] \\ = (1 - d_{z,\mathbf{k}}) (\operatorname{Re} V_{x} \sigma_{x} - \operatorname{Im} V_{x} \sigma_{y}) (1 - d_{z,\mathbf{k}}) / 2 - \frac{1}{2} \left[(d_{x,\mathbf{k}} - id_{y,\mathbf{k}}) (\operatorname{Re} V_{x} - i\operatorname{Im} V_{x}) (d_{x,\mathbf{k}} - id_{y,\mathbf{k}}) \sigma_{+} + \operatorname{H.c.} \right] + O \left(\frac{ev A_{\max} v^{3} k_{0}^{3}}{M^{3}} \right).$$
(D1)

Then the RWA Hamiltonian becomes

$$H_{\rm RWA} = -\frac{ev^3}{2M^2} \left[(k_x + ik_y) A_0(r) e^{im\phi} (k_x + ik_y) \sigma_- + \text{H.c.} \right] + \frac{v^2}{2M} (\mathbf{k}^2 - k_0^2) \sigma_z + O\left(\frac{v^3 k_0^3}{M^2}\right) = -\frac{\delta}{2M} \left[\frac{(k_x + ik_y)}{k_0} \Omega(r) e^{im\phi} \frac{(k_x + ik_y)}{k_0} \sigma_- + \text{H.c.} \right] + \frac{\delta}{2} \left(\frac{\mathbf{k}^2}{k_0^2} - 1 \right) \sigma_z + O\left(\delta \sqrt{\frac{\delta}{M}}\right).$$
(D2)

In the bulk far from r = 0, this system becomes a Floquet Chern insulator and therefore hosts edge states in the middle of hybridization gap. These states are localized at the boundary of the sample and has nothing to do with the OAM of the beam. We aim to find fully quantum mechanical solution for intragap states localized around the optical vortex. For this, we use a similar method used in Ref. 45-48 in the main text. Note that, due to scale change, we redefine $k_{\delta} = k_0 \Omega_0 / M$ for this section.

For the simplicity of discussion, we normalize the RWA Hamiltonian as $h = (M/v^2)H_{\rm RWA}$. We first demonstrate that h commutes with pseudo-OAM $\hat{l} = -i\partial_{\phi} + (m/2 + 1)\sigma_z$. Note that the pseudo-OAM operator here differs from the pseudo-OAM operator for the systems with non-circularly polarized light by an extra term of σ_z . Similar to the linear polarization case, we use $[-i\partial_{\phi}, k_x] = ik_y$, $[-i\partial_{\phi}, k_y] = -ik_x$, $[-i\partial_{\phi}, k_x \pm ik_u] = \pm (k_x \pm ik_y)$, and $[-i\partial_{\phi}, \mathbf{k}^2] = 0$, therefore

$$[-i\partial_{\phi}, h]$$
(D3)
= $-(m+2)\frac{\Omega(r)}{2M} \left[(k_x - ik_y)e^{-im\phi}(k_x - ik_y)\sigma_+ - \text{H.c.} \right],$

$$[\sigma_z, h] = \frac{\Omega(r)}{M} \left[(k_x - ik_y)e^{-im\phi}(k_x - ik_y)\sigma_+ - \text{H.c.} \right],$$

so we eventually have $[-i\partial_{\phi} + (m/2 + 1)\sigma_z, h] = 0$. Therefore, l is a conserved quantity and we can blockdiagonalize h along this l. Within the block for l, wavefunctions can be written as in Eq. (3) in the main text,

$$\psi_l(\mathbf{r}) = \left(e^{il_+\phi}u_+(r), e^{il_-\phi}u_-(r)\right)^T,$$
 (D4)

where $l_{\pm} = l \mp (m/2 + 1)$. The eigenstates satisfy

$$\begin{split} \epsilon u_{+}(r) &= -\frac{1}{2} \left(\partial_{r}^{2} + \frac{1}{r} \partial_{r} - \frac{l_{+}^{2}}{r^{2}} + k_{0}^{2} \right) u_{+}(r) \\ &+ \frac{\Omega(r)}{2M} \left(\partial_{r}^{2} + \frac{2l+1}{r} \partial_{r} + \frac{l_{+}l_{-}}{r^{2}} \right) u_{-}(r) \\ &+ \frac{\Omega'(r)}{2M} \left(\partial_{r} + \frac{l_{-}}{r} \right) u_{-}(r), \\ \epsilon u_{-}(r) &= \frac{1}{2} \left(\partial_{r}^{2} + \frac{1}{r} \partial_{r} - \frac{l_{-}^{2}}{r^{2}} + k_{0}^{2} \right) u_{-}(r) \\ &+ \frac{\Omega(r)}{2M} \left(\partial_{r}^{2} - \frac{2l-1}{r} \partial_{r} + \frac{l_{+}l_{-}}{r^{2}} \right) u_{+}(r) \\ &+ \frac{\Omega'(r)}{2M} \left(\partial_{r} - \frac{l_{+}}{r} \right) u_{+}(r). \end{split}$$
(D5)

As in the system with linearly polarized light, this RWA Hamiltonian preserves the particle-hole symmetry. By replacing l by -l in this equation, $l_{\pm} \rightarrow -l_{\mp}$, so one can readily show that $\psi_{-l}(\mathbf{r}) = i\sigma_y \psi_l^*(\mathbf{r})$ with $\epsilon|_{-l} = -\epsilon|_l$. Equivalent to Eq. (D5),

$$\begin{split} \left(\epsilon + \frac{\beta}{2r^2}\right) u_+(r) &= -\frac{1}{2} \left(\partial_r^2 + \frac{1}{r}\partial_r - \frac{\alpha^2}{r^2} + k_0^2\right) u_+(r) \\ &\quad + \frac{\Omega(r)}{2M} \left(\partial_r^2 + \frac{2l+1}{r}\partial_r + \frac{l_+l_-}{r^2}\right) u_-(r) \\ &\quad + \frac{\Omega'(r)}{2M} \left(\partial_r + \frac{l_-}{r}\right) u_-(r), \\ \left(\epsilon + \frac{\beta}{2r^2}\right) u_-(r) &= \frac{1}{2} \left(\partial_r^2 + \frac{1}{r}\partial_r - \frac{\alpha^2}{r^2} + k_0^2\right) u_-(r) \\ &\quad + \frac{\Omega(r)}{2M} \left(\partial_r^2 - \frac{2l-1}{r}\partial_r + \frac{l_+l_-}{r^2}\right) u_+(r) \\ &\quad + \frac{\Omega'(r)}{2M} \left(\partial_r - \frac{l_+}{r}\right) u_+(r), \end{split}$$

where $\alpha = \sqrt{l^2 + (m/2+1)^2}$ and $\beta = l(m+2)$. While it is difficult to find the generic solution for this equation, we can find the low-energy solution for the regime $l^2/k_0 \ll k_{\delta}^{-1} \ll \xi$. Let us consider a radius r^* such that $l^2/k_0 \ll r^* \ll k_{\delta}^{-1}$. For $r \ll r^*$, $\Omega(r) \to 0$ and therefore we can decouple $u_+(r)$ and $u_-(r)$ in Eq. (D5),

$$\left(\partial_r^2 + \frac{1}{r}\partial_r - \frac{l_{\pm}^2}{r^2} + k_0^2 \pm 2\epsilon\right)u_{\pm}(r) = 0, \quad (D7)$$

which yields the solution

$$u_{\pm}(r) = C_{\pm} J_{l\mp(m/2+1)} \left(\sqrt{(k_0^2 \pm 2\epsilon)} r \right)$$
 (D8)

where $J_{\nu}(r)$ is the Bessel function of the first kind. The Bessel function of the second kind can be ruled out since the solution should be finite at r = 0. In the low-energy theory, $\epsilon \ll k_0^2$, we can write $\sqrt{k_0^2 \pm 2\epsilon} \simeq k_0 \pm p$ where $p = \epsilon/k_0 \ll k_0$.

For $r \gg r^*$, we take the ansatz

$$u_{\pm}(r) = f_{\pm}(r)H_{\alpha}^{(1)}(k_0r) + g_{\pm}(r)H_{\alpha}^{(2)}(k_0r) \quad (D9)$$

where $H_{\nu}^{(1)}(x), H_{\nu}^{(2)}(x)$ are the Hankel functions of the first kind and the second kind. Let us deal with the solutions for $f_{\pm}(r)$ first. Let us denote $H_{\alpha}^{(1)}(x) = H(x)$ for short. Denoting that $(\partial_r^2 + r^{-1}\partial_r - \alpha^2/r^2 + k_0^2)H(k_0r) = 0$, Eq. (D6) can be written as

$$\left(\epsilon + \frac{\beta}{2r^2}\right) f_+ H = -\frac{1}{2} \left(f''_+ H + 2f'_+ H' + \frac{f'_+ H}{r}\right) + \frac{\Omega}{2M} \left(f''_- H + 2f'_- H' + f_- H'' + \frac{2l+1}{r} (f'_- H + f_- H') + \frac{l_+ l_-}{r^2} f_- H\right) + \frac{\Omega'}{2M} \left(f'_- H + f_- H' + \frac{l_-}{r}\right), \left(\epsilon + \frac{\beta}{2r^2}\right) f_- H = \frac{1}{2} \left(f''_- H + 2f'_- H' + \frac{f'_- H}{r}\right) + \frac{\Omega}{2M} \left(f''_+ H + 2f'_+ H' + f_+ H'' - \frac{2l-1}{r} (f'_+ H + f_+ H') + \frac{l_+ l_-}{r^2} f_+ H\right) + \frac{\Omega'}{2M} \left(f'_+ H + f_+ H' - \frac{l_+}{r}\right).$$
(D10)

To simplify these equations, we estimate and compare the magnitude of different terms in these equations around $r = k_{\delta}^{-1}$. For this, we take the ansatz $f_{\pm}(r) = f_{\pm,(0)}(r) \exp[i\eta_{\pm}(r)]$ where $f'_{\pm,(0)}/f_{\pm,(0)} = O(k_{\delta})$, $\eta_{\pm} = O(k_{\delta}/k_0)$, and $\eta'_{\pm}/\eta_{\pm} = O(k_{\delta})$ around $r = (k_{\delta})^{-1}$. We further restrict the eigenenergy to be $\epsilon = O(k_{\delta}^2)$. Assuming $|f_{+,(0)}/f_{-,(0)}| = O(1)$ and noting that $\partial_r H^{(1)}_{\alpha}(k_0 r) \simeq ik_0 H^{(1)}_{\alpha}(k_0 r)$ for $k_0 r \gg l^2$, the lowest order equations of Eq. (D10) become

$$O(k_0 k_\delta) := \mp i k_0 f'_{\pm,(0)} - k_0^2 \Omega (2M)^{-1} f_{\mp,(0)} = 0,$$

$$O\left(k_\delta^2\right) : \left(\epsilon + \frac{\beta}{2r^2}\right) f_{\pm,(0)} = k_0 f'_{\pm,(0)} \eta_{\pm} + k_0 f_{\pm,(0)} \eta'_{\pm}$$

$$\mp \frac{f'_{\pm,(0)}}{2r} \pm i \frac{k_0^2 \Omega}{2M} f_{\mp,(0)} \eta_{\mp} \pm i \frac{k_0 \Omega}{2Mr} (2l \pm 1) f_{\mp,(0)}.$$
(D11)

By solving the equations of the order of $O(k_0k_{\delta})$, we get $f_{+,(0)} = B \exp\left(-\frac{1}{2}(k_0/M)\int_0^r \Omega(r')dr'\right) = -if_{-,(0)}$. This solution indeed satisfies the supposition $f'_{\pm,(0)}/f_{\pm,(0)} = O(k_{\delta})$. Then the equations of the order of $O\left(k_{\delta}^2\right)$ become

$$k_0 \eta'_{\pm} - \frac{k_0^2 \Omega}{2M} (\eta_+ + \eta_-) = \epsilon + \frac{\beta}{2r^2} + \frac{k_0 \Omega}{Mr} \left(l \pm \frac{1}{4} \right), (D12)$$

or equivalently,

$$k_{0}\partial_{r}(\eta_{+}+\eta_{-}) - \frac{k_{0}^{2}\Omega}{M}(\eta_{+}+\eta_{-}) = 2\epsilon + \frac{\beta}{r^{2}} + 2l\frac{k_{0}\Omega}{Mr},$$

$$k_{0}\partial_{r}(\eta_{+}-\eta_{-}) = \frac{k_{0}\Omega}{2Mr}.$$
(D13)

The solutions of these equations can be found as

$$\eta_{+}(r) + \eta_{-}(r) = -\frac{2}{k_{0}} e^{\frac{k_{0}}{M}} \int_{0}^{r} \Omega(r') dr'} \\ \times \int_{r}^{\infty} dr' \left(\epsilon + \frac{\beta}{2r'^{2}} + l \frac{k_{0} \Omega(r')}{Mr'}\right) e^{-\frac{k_{0}}{M}} \int_{0}^{r'} \Omega(r'') dr''}, \\ \eta_{+}(r) - \eta_{-}(r) = \int_{0}^{r} \frac{\Omega(r')}{2Mr'} dr'.$$
(D14)

We have $(k_0/M) \int_0^{1/k_{\delta}} \Omega(r) dr = O(1), \ \epsilon + \beta/(2r^2) + lk_0 \Omega(r)/(Mr) \leq O\left(k_{\delta}^2\right)$ for $r \geq O(k_{\delta}^{-1})$, and $\lim_{r \to 0} \Omega(r)/r < \infty$, so the suppositions $\eta_{\pm} = O(k_{\delta}/k_0)$ and $\eta'_{\pm}/\eta_{\pm} = O(k_{\delta})$ are justified around $r = (k_{\delta})^{-1}$. One might worry that $\eta_+(r) - \eta_-(r)$ diverges as $r \to \infty$, but $\eta_+(r) - \eta_-(r)$ is bounded to $O(k_{\delta}/k_0)$ as long as $r \leq O\left(k_{\delta}^{-1}\right)$ and the wavefunction vanishes for $r \gg k_{\delta}^{-1}$ due to the behaviors of $f_{\pm,(0)}(r)$, so the solutions become consistent.

We can also obtain the solutions for $g_{\pm}(r)$ by taking the complex conjugate on Eq. (D10) since $\partial_r H_{\alpha}^{(2)}(k_0 r) \simeq$ $-ik_0 H_{\alpha}^{(2)}(k_0 r)$, therefore $g_{\pm}(r) = f_{\pm}^*(r)$. Finally, we can write down $u_{\pm}(r)$ for $r \gg r^*$ as

$$u_{\pm}(r) = i^{(1\mp 1)/2} B e^{-\frac{1}{2}(k_0/M)} \int_0^r \Omega(r') dr'$$
(D15)

$$\times \left(e^{\pm i[\eta_{\pm}(r)\pm\kappa]} H_{\alpha}^{(1)}(k_0 r) \pm e^{\mp i[\eta_{\pm}(r)\pm\kappa]} H_{\alpha}^{(2)}(k_0 r) \right)$$

for some relative phase κ . Now let us match the solutions in Eq. (D8) and Eq. (D15) at $r = r^*$. For this, with $k_0 r^* \gg l^2$, we can use the asymptotic forms of Bessel functions,

$$J_{\nu}(x) \simeq \sqrt{\frac{2}{\pi x}} \cos\left(x - \frac{2\nu + 1}{4}\pi + \frac{4\nu^2 - 1}{8x}\right), \quad (D16)$$
$$H_{\nu}^{(1),(2)}(x) \simeq \sqrt{\frac{2}{\pi x}} \exp\left[\pm i\left(x - \frac{2\nu + 1}{4}\pi + \frac{4\nu^2 - 1}{8x}\right)\right],$$

for $\nu = O(l)$. Now from Eq. (D8),

$$u_{\pm}(r^*) \simeq C_{\pm} \sqrt{\frac{2}{\pi(k_0 \pm p)r^*}}$$
(D17)

$$\times \cos\left((k_0 \pm p)r^* - \frac{2l \mp m \mp 2 + 1}{4}\pi + \frac{(2l \mp m \mp 2)^2 - 1}{8(k_0 \pm p)r^*}\right).$$

By matching the constant factor in Eq. (D15) as $B = C_+$, we have

$$u_{\pm}(r^{*}) \simeq C_{\pm} \sqrt{\frac{2}{\pi k_{0} r^{*}}} e^{-\frac{1}{2}(k_{0}/M) \int_{0}^{r^{*}} \Omega(r) dr} \\ \times \cos\left(\pm \eta_{\pm}(r^{*}) + \kappa + k_{0} r^{*} - \frac{2\alpha + 1}{4} \pi \right. \\ \left. + \frac{4\alpha^{2} - 1}{8k_{0} r^{*}} + \frac{1 \mp 1}{2} \left(n - \frac{1}{2}\right) \pi\right)$$
(D18)

where n is odd integer. Now by comparing Eq. (D17)

and Eq. (D18), we have

$$\pm \eta_{\pm}(r^{*}) + \kappa \mp pr^{*} + \frac{2l - 2\alpha \mp m \mp 2}{4}\pi \pm \frac{\beta}{2k_{0}r^{*}} + \frac{1 \mp 1}{2}\left(n - \frac{1}{2}\right)\pi = O\left(\frac{p}{k_{0}^{2}r^{*}}\right).$$
 (D19)

Here, we now let *n* be any integer by using the freedom to choose the sign of C_+/C_- . In fact, this *n* serves as the branch index, so we put this branch index for each state from now on. That is, $\psi_l \ to\psi_{n,l}, u_{\pm} \to u_{n,\pm}, \eta_{\pm} \to \eta_{n,\pm},$ and $\epsilon \to \epsilon_n$. We now drop $O(\frac{p}{k_0^2 r^*})$ terms from Eq. (D19) since $p/(k_0^2 r^*) = pr^*/(k_0 r^*)^2 \ll pr^*$, and $p/(k_0^2 r^*) =$ $(p/k_0)/(k_0 r^*) \ll 1/(k_0 r^*) \ll 1$. Then, from Eq. (D19), we get $\kappa = (\alpha - l - n + 1/2)(\pi/2) - \int_0^r dr' \Omega(r')/(4Mr')$ and

$$\eta_{n,+}(r) + \eta_{n,-}(r) = \frac{2\epsilon_n}{k_0}r^* - \frac{\beta}{k_0r^*} + \left(n + \frac{m+1}{2}\right)\pi.$$
(D20)

Now to match Eq. (D14) and Eq. (D20), let us evaluate the integrals in Eq. (D14). First, we argue that the factor $\exp\left(\frac{k_0}{M}\int_0^{r^*} \Omega(r)dr\right)$ in Eq. (D14) can be dropped out. To justify this, we suppose $\Omega(r)$ is a non-decreasing function that saturates to Ω_0 without loss of generality. Then

$$\partial_{r^*} \left(\log e^{\frac{k_0}{M} \int_0^{r^*} \Omega(r) dr} \right) = \frac{k_0 \Omega(r^*)}{M} < \frac{k_0 \Omega_0}{M}$$
$$\rightarrow \quad 1 \le e^{\frac{k_0}{M} \int_0^{r^*} \Omega(r) dr} < e^{k_0 \Omega_0 r^*/M} \simeq 1 \quad (D21)$$

since $r^* \ll k_{\delta}^{-1}$. This also matches the functional form of the slowly varying envelopes in Eq. (D17) and Eq. (D17). After getting rid of this factor from $\eta_{n,+}(r) + \eta_{n,-}(r)$ in Eq. (D14),

$$\begin{split} \eta_{n,+}(r^{*}) &+ \eta_{n,-}(r^{*}) \\ &= -\frac{2}{k_{0}} \int_{r^{*}}^{\infty} \left(\epsilon_{n} + \frac{\beta}{2r^{2}} + l\frac{k_{0}\Omega(r)}{Mr} \right) e^{-\frac{k_{0}}{M}} \int_{0}^{r} \Omega(r')dr' dr \\ &= \frac{2\epsilon_{n}r^{*}}{k_{0}} - \frac{2\epsilon_{n}}{k_{0}} \int_{0}^{\infty} e^{-\frac{k_{0}}{M}} \int_{0}^{r} \Omega(r')dr' dr \\ &+ \left[\frac{\beta}{k_{0}r} e^{-i\frac{k_{0}}{M}} \int_{0}^{r} \Omega(r')dr' \right]_{r=r^{*}}^{r=\infty} \\ &+ \int_{r^{*}}^{\infty} \frac{(\beta - 2l)\Omega(r)}{Mr} e^{-\frac{k_{0}}{M}} \int_{0}^{r} \Omega(r')dr' \\ &= \frac{2\epsilon_{n}r^{*}}{k_{0}} - \frac{\beta}{k_{0}r^{*}} - 2\epsilon_{n} \left(\frac{1}{k_{0}} \int_{0}^{\infty} e^{-\frac{k_{0}}{M}} \int_{0}^{r} \Omega(r')dr' dr \right) \\ &+ 2ml \left[R(\infty) - R(r^{*}) \right], \\ \text{where } R(r) &= \int_{0}^{r} \frac{\Omega(r')}{2Mr'} e^{-\frac{k_{0}}{M}} \int_{0}^{r'} \Omega(r'')dr'' dr'. \quad (D22) \end{split}$$

We further argue that this $R(r^*)$ term can be dropped out from Eq. (D22). For the estimation, we suppose $\Omega(r) = \Omega_0 (r/\xi)^q$ for $r \leq \xi$ and $\Omega(r) = \Omega_0$ for $r > \xi$, without loss of generality. Here, $1 \leq q = O(1)$. Then



FIG. S1. (a) Numerically calculated energy spectra as a function of pseudo-OAM l. We use $\omega = 2.05M$, $A_{\text{max}} = 0.09M(ev)^{-1}$, and $A_0(r) = A_{\text{max}} \left[1 - \exp\{-r^2/(2\xi^2)\}\right]$, $\xi = 20k_{\delta}$, and the disk sample of radius 25 ξ . The numerical energy dispersions agree with the analytically expected spectra in that includes the number of intragap state branches and the slope of the linear dispersion for small $|E_l|$ and l. (b) Demonstration of dispersions' dependence on optical vortex size ξ for m = 1 with identical parameters with (a) except ξ and the disk size that the latter is fixed on $500k_{\delta}$. The linear region of the dispersion shrinks and the energy separation between subsequent states increases as ξ decreases. On the right-hand side, the electronic density profile of the vortex state for m = 1 just below the zero of the energy is illustrated.

$$\begin{split} R(r^*) &= O\left(\frac{k_{\delta}}{k_0}\left(\frac{r^*}{\xi}\right)^q\right) \text{ while } R\left(k_{\delta}^{-1}\right) = O\left(\frac{k_{\delta}}{k_0}\left(\frac{1}{k_{\delta}\xi}\right)^q\right).\\ \text{Since } r^* \ll k_{\delta}^{-1}, \ R(r^*) \ll R\left(k_{\delta}^{-1}\right) < R(\infty). \text{ Finally,}\\ \text{by comparing Eq. (D20) and Eq. (D22), we obtain the}\\ \text{low-energy spectrum as} \end{split}$$

$$E_{n,l} = ml\omega_0 + [n + (m+1)/2]\tilde{\omega}_0, \quad \text{where}$$

$$\omega_0 = \frac{\delta \int_0^\infty \frac{\Omega(r)}{r} e^{-(k_0/M)} \int_0^r \Omega(r') dr'}{2Mk_0 \int_0^\infty e^{-(k_0/M)} \int_0^r \Omega(r') dr'} dr,$$

$$\tilde{\omega}_0 = \frac{v^2 k_0(\pi/2)}{M \int_0^\infty e^{-(k_0/M)} \int_0^r \Omega(r') dr'} dr.$$
(D23)

Here, we recovered the factor (v^2/M) in $H_{\text{RWA}} = (v^2/M)h$ as we restore $\epsilon_n \to E_{n,l}$. In Fig. 1(a), energy dispersion of circular polarized light for different vorticities m is shown. The non-linearity of dispersion for the illumination of CP light is also demonstrated in Fig. 1(b), as can be seen by decreasing the optical vortex size, the energy separation between subsequent vortex states increases.

Appendix E: Numerical diagonalization for the low-energy spectrum

For more efficient numerical diagonalization of H_{RWA} , we can diagonalize the block-diagonalized Hamiltonian for each l, as presented in the eigenvalue problem in Eq. (A12). As shown in Eq. (A11), wavefunctions for each l are written as

$$\psi_{n,l}(\mathbf{r}) = \left(e^{i(l-m/2)\phi}u_{n,+}(r), e^{i(l+m/2)\phi}u_{n,-}(r)\right)^T (E1)$$

Yet, it is tricky to apply a naive finite difference method due to the boundary condition at r = 0. Rather, we use the basis which can diagonalize the Hamiltonian onto the space of $u_{n,+}(r)$ and $u_{n,-}(r)$, assuming the system is confined on a disk of radius R. That is, we use basis functions $\{u_{\pm,\alpha}(r)\}$ such that

$$\left[\partial_r^2 + \frac{1}{r}\partial_r - \frac{l_{\pm}^2}{r^2} + k_0^2 \pm 2\epsilon_{\pm,\alpha}\right] u_{\pm,\alpha}(r) = 0, \quad (E2)$$

where eigenenergies $\epsilon_{\pm,\alpha}$ are set by the boundary condition $u_{\pm,\alpha}(R) = 0$. $\alpha \in \mathbb{N}$. Here, $l_{\pm} = l \mp m/2$. Indeed, Eq. (E2) are the Bessel equations and we immediately find that $u_{\pm,\alpha}(r) = C_{\pm,\alpha}J_{l_{\pm}}(\sqrt{(k_0^2 \pm 2\epsilon_{\pm,\alpha})}r)$ since $u_{\pm,\alpha}(r)$ should be bounded at r = 0. The normalization factors $C_{\pm,\alpha}$ are determined by $\int_0^R |u_{\pm,\alpha}(r)|^2 r dr = 1$. Now suppose $z_{\alpha}^{(\nu)}$ is the α th non-negative zero of the Bessel function of order ν , $J_{\nu}(z)$. Then we have

$$\sqrt{(k_0^2 \pm 2\epsilon_{\pm,\alpha})}R = z_{\alpha}^{(l_{\pm})} \leftrightarrow \epsilon_{\pm,\alpha} = \pm \frac{1}{2} \left(\frac{z_{\alpha}^{(l_{\pm})}}{R}\right)^2 \mp \frac{k_0^2}{2}.$$
 (E3)

While there are infinitely many eigenfunctions $u_{\pm,\alpha}(r)$, we only take eigenfunctions with the *N*-smallest positive eigenenergies and the *N*-largest negative eigenenergies for each $u_{\pm,\alpha}(r)$, because we would like to calculate the low-energy spectrum around the zero energy. Since the eigenenergies are monotonic in α , we can label such eigenfunctions as $\alpha = i_0 + 1, \dots, i_0 + 2N$ for $u_{+,\alpha}(r)$ and $\alpha = j_0 + 1, \dots, j_0 + 2N$ for $u_{-,\alpha}(r)$. Now we can calculate the rest part of the Hamiltonian from Eq. (D5) as

$$M_{s,s'} = \int_0^\infty u_{+,i_0+s}(r)\Omega(r)u_{-,j_0+s'}(r)rdr.$$

Along with block-diagonal matrices $(H_+)_{s,s'} = v^2 \epsilon_{+,i_0+s} \delta_{s,s'}/M$ and $(H_-)_{s,s'} = v^2 \epsilon_{-,j_0+s} \delta_{s,s'}/M$, we can construct a 4N-by-4N matrix

$$H_{\rm eff, proj}^{(l)} = \begin{pmatrix} H_+ & M \\ M^{\dagger} & H_- \end{pmatrix}, \qquad (E4)$$

and we can diagonalize this matrix to obtain the low-energy spectrum and wavefunctions.

Appendix F: Non-linearity of vortex state dispersion

To demonstrate the non-linearity for the intra- and inter-branch transitions shown in Fig. 3 in the main text (blue and red arrows), we calculate the energy difference between subsequent vortex states for these mechanisms. As illustrated in Fig. S2, one can select two vortex states as two qubits with unique energy separation especially as l_0 is further from l = 0. As a results, the two qubits can be selected in isolated pairs and two level qubits do not combine with other vortex states.



FIG. S2. Energy separation between subsequent states with pseudo-angular momentum l_0 and $l_0 + 1$ in vortex branches. Here, blue and red data corresponds to intra- and inter-branch transitions as it is shown in Fig. 3 in the main text with blue and red arrows, respectively. The non-equal ΔE_{vor} demonstrates that the energy difference between two selected qubits are unique and isolated as long as $l_0 \neq 0$.

Appendix G: Two-qubit operation of Floquet vortex state qubits

For the separation d between the two vortices, the Hamiltonian regarding the two modes used for the qubit can be written as

$$H_{\rm d.v.}(d) = H_{\rm on} + H_{\rm hop}(d),$$

$$H_{\rm on} = \sum_{\rm P=L,R} \left[\sum_{s=0,1} E_{n,l_0+s} c_{s,\rm P}^{\dagger} c_{s,\rm P} + U c_{0,\rm P}^{\dagger} c_{0,\rm P} c_{1,\rm P}^{\dagger} c_{1,\rm P} \right],$$

$$H_{\rm hop}(d) = \sum_{s=0,1} J_s(d) \left(c_{s,\rm R}^{\dagger} c_{s,\rm L} + \text{H.c.} \right), \qquad (G1)$$

where $c_{s,P}^{\dagger}$ creates an electron on the left (P=L) or the right (P=R) vortex at the mode with pseudo-OAM $l_0 + s$. On-site interaction energy U is determined by the Coulomb repulsion between the two modes used for the qubit. While $J_0(d)$ and $J_1(d)$ are not strictly identical, we may regard them equally in practice since the amplitude of the tail part of the radial wavefunction is determined mostly by the radial profile of the beam rather than the pseudo-OAM. so, we set $J_{s=0,1}(d) = J(d)$ from now on. $H_{\rm hop}(d)$ in Eq. (G1) can send a state to the outside of the two-qubit space, but such leakage is energetically unfavorable due to the on-site interaction energy U. Then the effective Hamiltonian in the two-qubit space can be obtained through the Schrieffer-Wolff transformation in the regime of $J(d) \ll U$. If we denote the projection operator onto the two-qubit space as P_2 , the effective

Hamiltonian can be written as

$$H_{2-\text{qubit}}(d) = H_{\text{on}}P_{2} + \frac{1}{2}\sum_{i,j,k} \left(\frac{\langle i|H_{\text{hop}}|k\rangle \langle k|H_{\text{hop}}|j\rangle}{\langle i|H_{\text{on}}|i\rangle - \langle k|H_{\text{on}}|k\rangle} + \frac{\langle i|H_{\text{hop}}|k\rangle \langle k|H_{\text{hop}}|j\rangle}{\langle j|H_{\text{on}}|j\rangle - \langle k|H_{\text{on}}|k\rangle}\right)P_{2}|i\rangle \langle j|P_{2}$$
$$= \frac{J(d)^{2}}{U}S + (E_{l_{0}} + E_{l_{0}+1})P_{2},$$
$$S = |01\rangle \langle 01| + |10\rangle \langle 10| + (|01\rangle \langle 10| + \text{H.c.}).(\text{G2})$$

For simplicity, we can drop the diagonal term $(E_{l_0} + E_{l_0+1})P_2$. Now, let us consider a dynamic sequence that approaches and then separtes two vortices, d(t). The time-evolution of this process is given by

$$U = \exp\left[-i\int H_{2\text{-qubit}}(d(t))dt\right]$$

= $I \otimes I + \left(\frac{\exp[-iU^{-1}\int J(d(t))^2 dt] - 1}{2}\right)S$
= $\begin{pmatrix} 1 & 0 & 0 & 0\\ 0 & \frac{\exp(-i\Theta) + 1}{2} & \frac{\exp(-i\Theta) - 1}{2} & 0\\ 0 & \frac{\exp(-i\Theta) - 1}{2} & \frac{\exp(-i\Theta) + 1}{2} & 0\\ 0 & 0 & 1 \end{pmatrix}$, (G3)

where the matrix in the last row is written in computational basis $\{|00\rangle, |01\rangle, |10\rangle, |11\rangle\}$ and $\Theta = U^{-1} \int J(d(t))^2 dt$. Here, *I* is an identity operation on a single qubit. Now, by controlling the dynamic sequence in a way that $e^{-i\Theta} = i$, we obtain

$$U = \begin{pmatrix} 1 & 0 & 0 & 0 \\ 0 & \frac{1+i}{2} & -\frac{1-i}{2} & 0 \\ 0 & -\frac{1-i}{2} & \frac{1+i}{2} & 0 \\ 0 & 0 & 0 & 1 \end{pmatrix}$$
$$= (I \otimes \sigma_z) \sqrt{\text{SWAP}} (I \otimes \sigma_z)$$
$$= (\sigma_z \otimes I) \sqrt{\text{SWAP}} (\sigma_z \otimes I).$$
(G4)